


Enhanced Secretion of a Polypeptide by a
Microorganism
Marc Kolkman
SN# 09/975,132
Docket No. GC636-2
Sheet 1 of 5







32 UCLSUR





FIG.\_2






FIG.\_3B



Enhanced Secretion of a Polypeptide by a Microorganism Marc Kolkman SN# 09/975,132 Docket No. GC636-2 Sheet 3 of 5




FIG.\_3C





FIG.\_4



32 LE1502




FIG.\_5





FIG.\_6

Sheet 5 of 5



5/5

IL-3 amino acid sequence (Native sequence associated with its native signal sequence)

MSRLPVLLLL QLLVRPGLQA PMTOTTPLKT SWVNCSNMID EIITHLKQPP GEDQDILMEN NLRRPNLEAF LPLLDFNNLN NRAVKSLQNA

SAIESILKNL

LPCLPLATAA PTRHPIHIKD GDWNEFRRKL TFYLKTLENA

QAQQTTLSLA IF

IL-3 as encoded by plasmid pLATIL3

MKQQKRLYAR LLTLLFALIF LLPHSSASAA PMTQTTPLKT SWVNCSNMID EIITHLKQPP LPLLDFNNLN GEDQDILMEN NLRRPNLEAF NRAVKSLQNA SAIESILKNL LPCLPLATAA PTRHPIHIKD GDWNEFRRKL TFYLKTLENA QAQQTTLS

IL-3 amino acid sequence (Substituted tag charged C-terminus)

MKQQKRLYAR LLTLLFALIF LLPHSSASAA PMTQTTPLKT SWVNCSNMID EIITHLKOPP LPLLDFNNLN GEDODILMEN NLRRPNLEAF NRAVKSLONA SAIESILKNL LPCLPLATAA PTRHPIHIKD GDWNEFRRKL TFYLKTLENA QAQQTTDD

IL-3 amino acid sequence (Tagged<sup>14</sup>)

MKQQKRLYAR LLTLLFALIF LLPHSSASAA PMTOTTPLKT SWVNCSNMID EIITHLKOPP LPLLDFNNLN GEDODILMEN NLRRPNLEAF NRAVKSLONA SAIESILKNL LPCLPLATAA PTRHPIHIKD GDWNEFRRKL TFYLKTLENA QAQQTTLSAG KTNSFNQNVA LDD

FIG.\_7